	Application No.	Applicant(s)
Notice of Allowability	09/917,105	CANNON ET AL.
	Examiner	Art Unit
	Ahshik Kim	2876
The MAILING DATE of this communication appear All claims being allowable, PROSECUTION ON THE MERITS IS (herewith (or previously mailed), a Notice of Allowance (PTOL-85) of NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIC of the Office or upon petition by the applicant. See 37 CFR 1.313	OR REMAINS) CLOSED in to or other appropriate commur 3HTS. This application is su and MPEP 1308.	this application. If not included
2. The allowed claim(s) is/are 22,26-29 and 36-41.		
 3. The drawings filed on 19 February 2002 are accepted by the 4. Acknowledgment is made of a claim for foreign priority und a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 	der 35 U.S.C. § 119(a)-(d) or	(f).
2. ☐ Certified copies of the priority documents have been received in Application No		
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
5. Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.		
 (a) The translation of the foreign language provisional ap 6. Acknowledgment is made of a claim for domestic priority und in the first sentence of the specification or in an Application I 	der 35 U.S.C. §§ 120 and/or	121 since a specific reference was included
Applicant has THREE MONTHS FROM THE "MAILING DATE" of the below. Failure to timely comply will result in ABANDONMENT of the	his communication to file a re iis application. THIS THRE	eply complying with the requirements noted E-MONTH PERIOD IS NOT EXTENDABLE
7. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 8. CORRECTED DRAWINGS (as "replacement sheets") must (a) including changes required by the Notice of Draftsperso 1) hereto or 2) to Paper No (b) including changes required by the proposed drawing con 	n's Patent Drawing Review (
(c) Including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the margin according to 37 CFR 1.121(d).		
 DEPOSIT OF and/or INFORMATION about the depositate attached Examiner's comment regarding REQUIREMENT FOR THE 	t of BIOLOGICAL MATER E DEPOSIT OF BIOLOGICA	RIAL must be submitted. Note the LL MATERIAL.
Attachment(s)		
1 Notice of References Cited (PTO-892) 2 Notice of Draftperson's Patent Drawing Review (PTO-948) 3 Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No		nal Patent Application (PTO-152)
		nary (PTO-413), Paper No
	7☐ Examiner's Am	endment/Comment
4☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	8⊠ Examiner's Sta 9⊡ Other	tement of Reasons for Allowance

Application/Control Number: 09/917,105

Art Unit: 2876

5

20

DETAILED ACTION

Amendment

1. Receipt is acknowledged of the amendment filed on November 24, 2003. Claims 23-25 and 30-35 are canceled. Claims 22, 26 29, 36, 39-41 were amended. Currently, claims 22, 26-29, and 36-41 remain for examination.

Allowable Subject Matter

- 2. Claims 22, 26-29, and 36-41 are allowed.
- an automated telephone interface comprising a scanner and the methods for using the apparatus. As recited in the claims, scanned information is parsed and used in initiating a call (or a session). Such automated telephone interface is well known in the art and widely used in the industries as disclosed in the Desai patent. However, the cited references, taken alone or in combination, fail to show or fairly teach the specific method wherein the card is read in one direction initiates a call function, and the card read in the other direction initiates a facsimile function as set forth in the claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Art Unit: 2876

5

10

15

20

25

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to *Ahshik Kim* whose telephone number is (703)305-5203. The examiner can normally be reached between the hours of 6:00AM to 3:00PM Monday thru Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael G. Lee, can be reached on (703) 305-3503. The fax number directly to the Examiner is (703) 746-4782. The fax phone number for this Group is (703)872-9306.

Communications via Internet e-mail regarding this application, other than those under 35 U.S.C. 132 or which otherwise require a signature, may be used by the applicant and should be addressed to [ahshik.kim@uspto.gov].

All Internet e-mail communications will be made of record in the application file. PTO employees do not engage in Internet communications where there exists a possibility that sensitive information could be identified or exchanged unless the record includes a properly signed express waiver of the confidentiality requirements of 35 U.S.C. 122. This is more clearly set forth in the Interim Internet Usage Policy published in the Official Gazette of the Patent and Trademark on February 25, 1997 at 1195 OG 89.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-0956.

Ahshik Kim
Patent Examiner
Art Unit 2876

December 12, 2003

SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2800